Journal of Applied Microbiology

Edited by

A. F. Godfree

Volume 97, 2004

Copyright © 2004 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

Print ISSN 1364-5072
Online ISSN 1365-2672

Published by
Blackwell Publishing Ltd
OXFORD BOSTON MELBOURNE BERLIN
COPENHAGEN TOKYO AMES

Contents

Volume 97, Issue 1, July 2004

1 Author Guidelines

7 Adhesion of *Staphylococcus aureus* and *Staphylococcus epidermidis* to the Episkin® reconstructed epidermis model and to an inert 304 stainless steel substrate *G. Lerebour, S. Cupferman & M.N. Bellon-Fontaine*

17 PCR detection of pathogenic viruses in southern California urban rivers *S.C. Jiang & W. Chu*

29 Effect of *Bifidobacterium longum* ingestion on experimental salmonellosis in mice *A.M. Silva, F.H.F. Barbosa, R. Duarte, L.Q. Vieira, R.M.E. Arantes & J.R. Nicoli*

38 PCR detection and 16S rRNA sequence-based phylogeny of a novel *Propionibacterium acidipropionici* applicable for enhanced fermentation of high moisture corn *M.N. Romanov, R.V. Bato, M.T. Yokoyama & S.R. Rust*

48 Effect of combined physico-chemical preservatives on enterocin AS-48 activity against the enterotoxigenic *Staphylococcus aureus* CECT 976 strain *S. Ananou, E. Valdivia, M. Martínez Bueno, A. Gálvez & M. Maqueda*

57 Comprehensive gene expression analysis of the response to straight-chain alcohols in *Saccharomyces cerevisiae* using cDNA microarray *K. Fujita, A. Matsuyama, Y. Kobayashi & H. Iwahashi*

68 The microbial ecology of high-risk, chilled food factories; evidence for persistent *Listeria* spp. and *Escherichia coli* strains *J.T. Holah, J. Bird & K.E. Hall*

78 Genotypic analysis of *Escherichia coli* recovered from product and equipment at a beef-packing plant *M. Aslam, G.G. Greer, F.M. Nattress, C.O. Gill & L.M. McMullen*

87 *In vitro* inhibitory effect of gossypol from gossypol-acetic acid, and (+)- and (−)-isomers of gossypol on the growth of *Edwardsiella ictaluri M. Yildirim-Aksoy, C. Lim, M.K. Dowd, P.J. Wan, P.H. Klesius & C. Shoemaker*

93 Characterization of *Pantoea dispersa* UQ68J: producer of a highly efficient sucrose isomerase for isomaltulose biosynthesis *L. Wu & R.G. Birch*

104 Mode of antimicrobial action of vanillin against *Escherichia coli*, *Lactobacillus plantarum* and *Listeria innocua D.J. Fitzgerald, M. Stratford, M.J. Gasson, J. Ueckert, A. Bos & A. Narbad*

114 Isolation of *Bacillus pumilus* from *in vitro* grapes as a long-term alcohol-surviving and rhizogenesis inducing covert endophyte *P. Thomas*

124 Source of tryptone in growth medium affects oxidative stress resistance in *Escherichia coli P. De Spiegeleer, J. Sermon, A. Lietaert, A. Aertsen & C.W. Michiels*

134 Evidence for natural horizontal transfer of *tetO* gene between *Campylobacter jejuni* strains in chickens *L. Avrain, C. Vernozy-Rozand & I. Kempf*

141 Characterization of erythromycin resistance in *Campylobacter coli* and *Campylobacter jejuni* isolated from pig offal in New Zealand *S.A. Harrow, B.J. Gilpin & J.D. Klena*

149 Localization of MtuA, an LraI homologue in *Streptococcus uberis C.L. Jones, P. Monaghan, T.R. Field, A.J. Smith, P.N. Ward & J.A. Leigh*

158 The autolytic phenotype of *Bacillus thuringiensis N. Raddadi, A. Cherif, D. Mora, H. Ouzari, A. Boudabous, F. Molinari & D. Daffonchio*

169 Characterization of antimicrobial peptides against a US strain of the rice pathogen *Rhizoctonia solani S. Oard, M.C. Rush & J.H. Oard*

181 Identification of *Escherichia coli* O172 O-antigen gene cluster and development of a serogroup-specific PCR assay *H. Guo, L. Feng, J. Tao, C. Zhang & L. Wang*

191 Identification of waterborne bacteria by the analysis of 16S–23S rRNA intergenic spacer region *S. Pérez-Luz, M. Adela Yáñez & V. Catalán*

205 Genetic diversity of the species *Debaryomyces hansenii* and the use of chromosome polymorphism for typing of strains isolated from surface-ripened cheeses *K.M. Petersen & L. Jespersen*

214 Survival of *Bacillus cereus* spores and vegetative cells in acid media simulating human stomach *T. Clavel, F. Carlin, D. Lairon, C. Nguyen-The & P. Schmitt*

220 The detection of non-O157 *E. coli* in food by immuno-magnetic separation *M. Drysdale, M. MacRae, N.J.C. Strachan, T.M.S. Reid & I.D. Ogden*

225 Effect of point-of-use disinfection, flocculation and combined flocculation–disinfection on drinking water quality in western Kenya *J.A. Crump, G.O. Okoth, L. Slutsker, D.O. Ogaja, B.H. Keswick & S.P. Luby*

Volume 97, Issue 2, August 2004

233 A REVIEW: Colonization of the chicken reproductive tract and egg contamination by *Salmonella J. De Buck, F. Van Immerseel, F. Haesebrouck & R. Ducatelle*

246 Physiological characterization of *Mycobacterium* sp. strain 1B isolated from a bacterial culture able to degrade high-molecular-weight polycyclic aromatic hydrocarbons *C.E. Dandie, S.M. Thomas, R.H. Bentham & N.C. McClure*

256 Degradation of trehalose by rhizobia and characteristics of a trehalose-degrading enzyme isolated from *Rhizobium* species NGR234 *B. Boboye*

262 Impact of cleaning and disinfection agents on biofilm structure and on microbial transfer to a solid model food *G. Midelet & B. Carpentier*

271 Diversity and dynamics of communities of coagulase-negative staphylococci in traditional fermented sausages *G. Blaiotta, C. Pennacchia, F. Villani, A. Ricciardi, R. Tofalo & E. Parente*

285 Detection of free and plankton-associated *Helicobacter pylori* in seawater *L. Cellini, A. Del Vecchio, M. Di Candia, E. Di Campli, M. Favaro & G. Donelli*

293 Comparison of application methods to prolong the survival of potential biocontrol bacteria on stored sugar-beet seed *R. Walker, S. Rossall & M.J.C. Asher*

306 Development of a high throughput screening method to test flavour-forming capabilities of anaerobic micro-organisms *B.A. Smit, W.J.M. Engels, J. Bruinsma, J.E.T. van Hylckama Vlieg, J.T.M. Wouters & G. Smit*

314 Development of polythene films for food packaging activated with an antilisterial bacteriocin from *Lactobacillus curvatus* 32Y *G. Mauriello, D. Ercolini, A. La Storia, A. Casaburi & F. Villani*

323 Relationship between thermotolerance and hydrophobin-like proteins in aerial conidia of *Beauveria bassiana* and *Paecilomyces fumosoroseus* as fungal biocontrol agents *S.-H. Ying & M.-G. Feng*

332 pH Control of the production of recombinant glucose oxidase in *Aspergillus nidulans R. Luque, M. Orejas, N.I. Perotti, D. Ramón & M.E. Lucca*

338 Improvement of bioinsecticides production through mutagenesis of *Bacillus thuringiensis* by u.v. and nitrous acid affecting metabolic pathways and/or delta-endotoxin synthesis *D. Ghribi, N. Zouari & S. Jaoua*

347 Determination of toxicity of *Campylobacter jejuni* isolated from humans and from poultry carcasses acquired at various stages of production *C. Gilbert & M. Slavik*

354 Distribution of potentially pathogenic bacteria as free living and plankton associated in a marine coastal zone *T.L. Maugeri, M. Carbone, M.T. Fera, G.P. Irrera & C. Gugliandolo*

362 The prevalence and concentration of *Escherichia coli* O157 in faeces of cattle from different production systems at slaughter *N. Fegan, P. Vanderlinde, G. Higgs & P. Desmarchelier*

371 Effects of antimicrobial treatment on fiberglass-acrylic filters *C. Cecchini, M.C. Verdenelli, C. Orpianesi, G.M. Dadea & A. Cresci*

378 Phylogenetic analysis of protozoa in the rumen contents of cow based on the 18S rDNA sequences *E.C. Shin, K.M. Cho, W.J. Lim, S.Y. Hong, C.L. An, E.J. Kim, Y.K. Kim, B.R. Choi, J.M. An, J.M. Kang, H. Kim & H.D. Yun*

384 Simultaneous detection of Carnobacterium and Leuconostoc in meat products by multiplex PCR *M.C. Macián, E. Chenoll & R. Aznar*

395 Efficiency of *Calamintha officinalis* essential oil as preservative in two topical product types *A. Nostro, M.A. Cannatelli, I. Morelli, A.D. Musolino, F. Scuderi, F. Pizzimenti & V. Alonzo*

402 An effective iodide formulation for killing *Bacillus* and *Geobacillus* spores over a wide temperature range *N. Kida, Y. Mochizuki & F. Taguchi*

410 Chronic shedding of *Campylobacter* species in beef cattle *G.D. Inglis, L.D. Kalischuk & H.W. Busz*

421 Genetic fingerprinting of *Flavobacterium columnare* isolates from cultured fish *C.R. Arias, T.L. Welker, C.A. Shoemaker, J.W. Abernathy & P.H. Klesius*

429 Modelling the effect of temperature and water activity on growth of *Aspergillus niger* strains and applications for food spoilage moulds *R. Parra & N. Magan*

439 Water and temperature relations of growth and ochratoxin A production by *Aspergillus carbonarius* strains from grapes in Europe and Israel *D. Mitchell, R. Parra, D. Aldred & N. Magan*

446 Polyphasic study of the genetic diversity of lactobacilli associated with 'Almagro' eggplants spontaneous fermentation, based on combined numerical analysis of randomly amplified polymorphic DNA and pulsed-field gel electrophoresis patterns *I. Sánchez, S. Seseña & L.L. Palop*

Volume 97, Issue 3, September 2004

459 Genetic heterogeneity and functional properties of intestinal bifidobacteria *J. Mättö, E. Malinen, M.-L. Suihko, M. Alander, A. Palva & M. Saarela*

471 A cost-effective cane molasses medium for enhanced cell-bound phytase production by *Pichia anomala A. Vohra & T. Satyanarayana*

477 *Paenibacillus* isolates possess diverse dextran-degrading enzymes *P.M. Finnegan, S.M. Brumbley, M.G. O'Shea, K.M.H. Nevalainen & P.L. Bergquist*

486 Modelling the growth of *Trichoderma virens* with limited sampling of digital images *D. Cross & C.M. Kenerley*

495 Cloning and partial characterization of zwittermicin A resistance gene cluster from *Bacillus thuringiensis* subsp. *kurstaki* strain HD1 *J.R. Nair, G. Narasimman & V. Sekar*

504 A putative new endophytic nitrogen-fixing bacterium *Pantoea* sp. from sugarcane *F.G. Loiret, E. Ortega, D. Kleiner, P. Ortega-Rodés, R. Rodés & Z. Dong*

512 Exopolysaccharides produced by mixed culture of yeast *Rhodotorula rubra* GED10 and yogurt bacteria (*Streptococcus thermophilus* 13a + *Lactobacillus bulgaricus* 2-11) *E.D. Simova, G.I. Frengova & D.M. Beshkova*

520 Effects of several inhibitors on pure cultures of ruminal methanogens *E.M. Ungerfeld, S.R. Rust, D.R. Boone & Y. Liu*

527 Increased stress tolerance of *Bifidobacterium longum* and *Lactococcus lactis* produced during continuous mixed-strain immobilized-cell fermentation *Y. Doleyres, I. Fliss & C. Lacroix*

540 Growth and fermentation patterns of *Saccharomyces cerevisiae* under different ammonium concentrations and its implications in winemaking industry *A. Mendes-Ferreira, A. Mendes-Faia & C. Leão*

546 Assessment of the rind microbial diversity in a farm-house-produced vs a pasteurized industrially produced soft red-smear cheese using both cultivation and rDNA-based methods *C. Feurer, F. Irlinger, H.E. Spinnler, P. Glaser & T. Vallaeys*

557 Maintenance of pathogenicity during entry into and resuscitation from viable but nonculturable state in *Aeromonas hydrophila* exposed to natural seawater at low temperature *S. Maalej, R. Gdoura, S. Dukan, A. Hammami & A. Bouain*

566 Population structure of *Salmonella* investigated by amplified fragment length polymorphism *M. Torpdahl & P. Ahrens*

574 Identification of P18, a surface protein produced by the fish pathogen *Flavobacterium psychrophilum* *B. Massias, F. Dumetz, M.-C. Urdaci & M. Le Hénaff*

581 Development and application of a spiral plating method for the enumeration of *Escherichia coli* O157 in bovine faeces *S.E. Robinson, E.J. Wright, N.J. Williams, C.A. Hart & N.P. French*

590 Microbiological influences in 'blue water' copper corrosion *M.M. Critchley, R. Pasetto & R.J. O'Halloran*

598 Retention and removal of the fish pathogenic bacterium *Yersinia ruckeri* in biological sand filters *A.-M. Bomo, D. Ekeberg, T.K. Stevik, J.F. Hanssen & Å. Frostegård*

609 Predicting noncompliant levels of ochratoxin A in cereal grain from *Penicillium verrucosum* counts *M. Lindblad, P. Johnsson, N. Jonsson, R. Lindqvist & M. Olsen*

617 Effect of sunlight on the survival of *Salmonella* on surfaces *C. Nyeleti, T.A. Cogan & T.J. Humphrey*

621 Antilisterial activity of lactic acid bacteria isolated from rigouta, a traditional Tunisian cheese *T. Ghrairi, M. Manai, J.M. Berjeaud & J. Frère*

629 Degradation of isooctane by *Mycobacterium austroafricanum* IFP2173: growth and catabolic pathway *F. Solano-Serena, R. Marchal, S. Heiss & J.-P. Vandecasteele*

640 Screening for novel laccase-producing microbes *L.-L. Kiiskinen, M. Rättö & K. Kruus*

647 The role of indigenous yeasts in traditional Irish cider fermentations *W.F. Morrissey, B. Davenport, A. Querol & A.D.W. Dobson*

656 Mineral and carbon usage of two synthetic pyrethroid degrading bacterial isolates *R.J. Grant & W.B. Betts*

Volume 97, Issue 4, October 2004

663 The ability of two different *Vibrio* spp. bacteriophages to infect *Vibrio harveyi*, *Vibrio cholerae* and *Vibrio mimicus* *M. Payne, J. Oakey & L. Owens*

673 Role of viability of probiotic strains in their persistence in the gut and in mucosal immune stimulation *C. Maldonald Galdeano & G. Perdigón*

682 Microbial characteristics of marine sediments in bathing area along Pesaro-Gabicce coast (Italy): a preliminary study *A. Pianetti, F. Bruscolini, L. Sabatini & P. Colantoni*

690 Detection of *Helicobacter pylori* by PCR but not culture in water and biofilm samples from drinking water distribution systems in England *C.L. Watson, R.J. Owen, B. Said, S. Lai, J.V. Lee, S. Surman-Lee & G. Nichols*

699 Comparative analysis of antibiotic and antimicrobial biocide susceptibility data in clinical isolates of methicillin-sensitive *Staphylococcus aureus*, methicillin-resistant *Staphylococcus aureus* and *Pseudomonas aeruginosa* between 1989 and 2000 *R.J.W. Lambert*

712 Genetic marker for differentiating beer-spoilage ability of *Lactobacillus paracollinoides* strains *K. Suzuki, K. Ozaki & H. Yamashita*

719 PCR detection of staphylococcal enterotoxin genes in *Staphylococcus* spp. strains isolated from meat and dairy products. Evidence for new variants of *se*G and *se*I in *S. aureus* AB-8802 *G. Blaiotta, D. Ercolini, C. Pennacchia, V. Fusco, A. Casaburi, O. Pepe & F. Villani*

731 Antimicrobial activity of enterocin EJ97 against '*Bacillus macroides/Bacillus maroccanus*' isolated from zucchini purée *M^a.T. García, R. Lucas, H. Abriouel, N.B. Omar, R. Pérez, M^a.J. Grande, M. Martínez-Cañamero & A. Gálvez*

738 Liquid chromatography/mass spectrometry analysis of small-scale glycopeptidolipid preparations to identify serovars of *Mycobacterium avium–intracellulare* complex *Y. Nishiuchi, S. Kitada & R. Maekura*

749 The aggregation-promoting factor of *Lactobacillus crispatus* M247 and its genetic locus *H. Marcotte, S. Ferrari, C. Cesena, L. Hammarström, L. Morelli, G. Pozzi & M.R. Oggioni*

757 Expression of *vip1/vip2* genes in *Escherichia coli* and *Bacillus thuringiensis* and the analysis of their signal peptides *Y. Shi, W. Xu, M. Yuan, M. Tang, J. Chen & Y. Pang*

766 Identification of extracellular enzyme producing alkalophilic bacilli from Izmir province by 16S-ITS rDNA RFLP *G. Akbalik, H. Gunes, E. Yavuz, I. Yasa, S. Harsa, Z.S. Elmaci & A.F. Yenidunya*

774 Cloning, molecular characterization and expression analysis of two small heat shock genes isolated from wine *Lactobacillus plantarum G. Spano, V. Capozzi, A. Vernile & S. Massa*

783 Optimization of extracellular endoxylanase, endoglucanase and peroxidase production by *Streptomyces* sp. F2621 isolated in Turkey *M. Tuncer, A. Kuru, M. Isikli, N. Sahin & F.G. Çelenk*

792 New PCR-based methods for yeast identification *N. Hierro, Á. González, A. Mas & J.M. Guillamón*

802 Morphological and phenotypical characterization of *Bacillus sporothermodurans G. Montanari, A. Borsari, C. Chiavari, G. Ferri, C. Zambonelli & L. Grazia*

810 Identification of extracellular enzyme producing thermophilic bacilli from Balcova (Agamemnon) geothermal site by ITS rDNA RFLP *E. Yavuz, H. Gunes, S. Harsa & A.F. Yenidunya*

818 The effect of *Propionibacterium acidipropionici*, with or without *Lactobacillus plantarum*, on the fermentation and aerobic stability of wheat, sorghum and maize silages *I. Filya, E. Sucu & A. Karabulut*

827 Identification of denitrifying rhizobacteria from bentgrass and bermudagrass golf greens *G. Wang & H.D. Skipper*

838 Treatment with oxidizing agents damages the inner membrane of spores of *Bacillus subtilis* and sensitizes spores to subsequent stress *D.E. Cortezzo, K. Koziol-Dube, B. Setlow & P. Setlow*

853 A novel method for isolation of *Campylobacter* spp. from environmental samples, involving sample processing, and blood- and antibiotic-free medium *M. Baserisalehi, N. Bahador & B.P. Kapadnis*

861 The incidence of Shiga toxin-producing *Escherichia coli* in cattle with mastitis in Brazil *W.M. Lira, C. Macedo & J.M. Marin*

867 Repression of reserve lipid turnover in *Cunninghamella echinulata* and *Mortierella isabellina* cultivated in multiple-limited media *S. Papanikolaou, S. Sarantou, M. Komaitis & G. Aggelis*

876 Reduction of α-galactooligosaccharides in soyamilk by *Lactobacillus fermentum* CRL 722: *in vitro* and *in vivo* evaluation of fermented soyamilk *J.G. LeBlanc, M.S. Garro, A. Silvestroni, C. Connes, J.-C. Piard, F. Sesma & G. Savoy de Giori*

Volume 97, Issue 5, November 2004

883 Microbiological status of piggery effluent from 13 piggeries in the south east Queensland region of Australia *H.N. Chinivasagam, R.J. Thomas, K. Casey, E. McGahan, E.A. Gardner, M. Rafiee & P.J. Blackall*

892 Quantification and prevalence of *Salmonella* in beef cattle presenting at slaughter *N. Fegan, P. Vanderlinde, G. Higgs & P. Desmarchelier*

899 Utilization of AFLP markers for PCR-based identification of *Aspergillus carbonarius* and indication of its presence in green coffee samples *H. Schmidt, M.H. Taniwaki, R.F. Vogel & L. Niessen*

910 Detection and quantification of *Brettanomyces bruxellensis* and 'ropy' *Pediococcus damnosus* strains in wine by real-time polymerase chain reaction *A. Delaherche, O. Claisse & A. Lonvaud-Funel*

916 Application of antimicrobial ice for reduction of foodborne pathogens (*Escherichia coli* O157:H7, *Salmonella* Typhimurium, *Listeria monocytogenes*) on the surface of fish *J.-H. Shin, S. Chang & D.-H. Kang*

923 Hepatitis A virus attachment to agri-food surfaces using immunological, virological and thermodynamic assays *I. Kukavica-Ibrulj, A. Darveau, J. Jean & I. Fliss*

935 A flow cytometric technique for quantification and differentiation of bacteria in bulk tank milk *C. Holm, T. Mathiasen & L. Jespersen*

942 Purification and characterization of a lipopeptide produced by *Bacillus thuringiensis* CMB26 *P.I. Kim, H. Bai, D. Bai, H. Chae, S. Chung, Y. Kim, R. Park & Y.-T. Chi*

950 Amoebae in domestic water systems: resistance to disinfection treatments and implication in *Legionella* persistence *V. Thomas, T. Bouchez, V. Nicolas, S. Robert, J.F. Loret & Y. Lévi*

964 Premature *Salmonella* Typhimurium growth inhibition in competition with other Gram-negative organisms is redox potential regulated via RpoS induction *E. Komitopoulou, N.J. Bainton & M.R. Adams*

973 The molecular diversity of the methanogenic community in a hypereutrophic freshwater lake determined by PCR-RFLP *C. Whitby, J. Earl, C. Lanyon, S. Gray, J. Robinson, J. Meadows & C. Edwards*

985 Purification and properties of a novel glycine amino peptidase from *Actinomucor elegans* and its potential application *X. Ma, X. Zhou & T. Yoshimoto*

992 Cereulide, the emetic toxin of *Bacillus cereus*, is putatively a product of nonribosomal peptide synthesis *M. Toh, M.C. Moffitt, L. Henrichsen, M. Raftery, K. Barrow, J.M. Cox, C.P. Marquis & B.A. Neilan*

1001 Eugenol stimulates lactate accumulation yet inhibits volatile fatty acid production and eliminates coliform bacteria in cattle and swine waste *V.H. Varel & D.L. Miller*

1006 Characterization of a thermostable recombinant β-galactosidase from *Thermotoga maritima C.S. Kim, E.-S. Ji & D.-K. Oh*

1015 Amelioration in secretion of hyperthermostable and Ca^{2+}-*independent* α-amylase of *Geobacillus thermoleovorans* by some polyamines and their biosynthesis inhibitor methylglyoxal-bis-guanylhydrazone *J.L. Uma Maheswar Rao & T. Satyanarayana*

1021 Complete sequence of virulence plasmid pEIB1 from the marine fish pathogen *Vibrio anguillarum* strain MVM425 and location of its replication region *H. Wu, Y. Ma, Y. Zhang & H. Zhang*

1029 Biodiversity of *Listeria monocytogenes* sensitivity to bacteriocin-producing *Carnobacterium* strains and application in sterile cold-smoked salmon *A. Brillet, M.-F. Pilet, H. Prevost, A. Bouttefroy & F. Leroi*

1038 Ochratoxin A removal in synthetic and natural grape juices by selected oenological *Saccharomyces* strains *H. Bejaoui, F. Mathieu, P. Taillandier & A. Lebrihi*

1045 Intermittent and persistent shedding of Escherichia *coli* O157 in cohorts of naturally infected calves *S.E. Robinson, E.J. Wright, C.A. Hart, M. Bennett & N.P. French*

1054 The relationship between concentration of a dual marker strain of *Salmonella* Typhimurium in bovine faeces and its probability of detection by immunomagnetic separation and culture *D. Jordan, T. Vancov, A. Chowdhury, L.M. Andersen, K. Jury, A.E. Stevenson & S.G. Morris*

1063 Induction of the *mar* operon by miscellaneous groceries *A.H. Rickard, S. Lindsay, G.B. Lockwood & P. Gilbert*

1069 Reduction of bacterial indicators and bacteriophages infecting faecal bacteria in primary and secondary wastewater treatments *F. Lucena, A.E. Duran, A. Morón, E. Calderón, C. Campos, C. Gantzer, S. Skraber & J. Jofre*

1077 Distribution of six virulence factors in *Aeromonas* species isolated from US drinking water utilities: a PCR identification *K. Sen & M. Rodgers*

1087 Development of a multiplex PCR for the identification of *Staphylococcus* genus and four staphylococcal species isolated from food *S.C. Morot-Bizot, R. Talon & S. Leroy*

1095 Application of genotypic and phenotypic analyses to commercial probiotic strain identity and relatedness *P.S.M. Yeung, C.L. Kitts, R. Cano, P.S. Tong & M.E. Sanders*

1105 Detection of infectious hepatitis A virus by integrated cell culture/strand-specific reverse transcriptase-polymerase chain reaction *Y.-J. Jiang, G.-Y. Liao, W. Zhao, M.-B. Sun, Y. Qian, C.-X. Bian & S.-D. Jiang*

1113 Erratum

Volume 97, Issue 6, December 2004

1115 Direct detection of bacterial pathogens in representative dairy products using a combined bacterial concentration-PCR approach *K.A. Stevens & L.-A. Jaykus*

1123 Bacterial population dynamics and community structure in a pharmaceutical manufacturing water supply system determined by real-time PCR and PCR-denaturing gradient gel electrophoresis *M. Kawai, J. Yamagishi, N. Yamaguchi, K. Tani & M. Nasu*

1132 *In situ* quantification of biocide efficacy using GFP transformed *Aureobasidium pullulans H.A. Sabev, P.S. Handley & G.D. Robson*

1140 Predominance of *Saccharomyces uvarum* during spontaneous alcoholic fermentation, for three consecutive years, in an Alsatian winery *C. Demuyter, M. Lollier, J.-L. Legras & C. Le Jeune*

1149 Use of the '*ex vivo*' test to study long-term bacterial survival on human skin and their sensitivity to antisepsis *S. Messager, A.C. Hann, P.A. Goddard, P.W. Dettmar & J.-Y. Maillard*

1161 Development of a capture/enrichment sandwich ELISA for the rapid detection of enteropathogenic and enterohaemorrhagic *Escherichia coli* O26 strains *E. Neely, C. Bell, D. Finlay, J. McCappin, I. Wilson & H.J. Ball*

1166 Development of an extensive set of 16S rDNA-targeted primers for quantification of pathogenic and indigenous bacteria in faecal samples by real-time PCR *T. Rinttilä, A. Kassinen, E. Malinen, L. Krogius & A. Palva*

1178 Deletion of the Δ12-oleic acid desaturase gene of a nonaflatoxigenic *Aspergillus parasiticus* field isolate affects conidiation and sclerotial development *P.-K. Chang, R.A. Wilson, N.P. Keller & T.E. Cleveland*

1185 Growth of enterotoxigenic *Staphylococcus aureus* in povi masima, a traditional Pacific island food *T.L. Wong, R.J. Whyte, C.G. Graham, D. Saunders, J. Schumacher & J.A. Hudson*

1192 The role of host organism, transcriptional switches and reporter mechanisms in the performance of Hg-induced biosensors *M. Harkins, A.J.R. Porter & G.I. Paton*

1201 *Penicillium chrysogenum* glucose oxidase – a study on its antifungal effects *É. Leiter, F. Marx, T. Pusztahelyi, H. Haas & I. Pócsi*

1210 Molecular diversity of tannic acid degrading bacteria isolated from tannery soil *S.P. Chowdhury, S. Khanna, S.C. Verma & A.K. Tripathi*

1220 Effect of microwave radiation on *Bacillus subtilis* spores *F. Celandroni, I. Longo, N. Tosoratti, F. Giannessi, E. Ghelardi, S. Salvetti, A. Baggiani & S. Senesi*

1228 Description of heterotrophic bacteria occurring in paper mills and paper products *M.-L. Suihko, H. Sinkko, L. Partanen, T. Mattila-Sandholm, M. Salkinoja-Salonen & L. Raaska*

1236 Inhibition of the reattachment of young adult zebra mussels by single-species biofilms and associated exopolymers *J.H. Kavouras & J.S. Maki*

1247 Genetic and functional characterization of a *Bacillus* sp. strain excreting surfactin and antifungal metabolites partially identified as iturin-like compounds *G.I. Souto, O.S. Correa, M.S. Montecchia, N.L. Kerber, N.L. Pucheu, M. Bachur & A.F. García*

1257 Fermentation conditions affecting the bacterial growth and exopolysaccharide production by *Streptococcus thermophilus* ST 111 in milk-based medium *F. Vaningelgem, M. Zamfir, T. Adriany & L. De Vuyst*

1274 Characterization of *Saccharomyces cerevisiae* strains isolated from must of grape grown in experimental vineyard *M.S. Cappello, G. Bleve, F. Grieco, F. Dellaglio & G. Zacheo*

1281 Relationship between inactivation kinetics of a *Listeria monocytogenes* suspension by chlorine and its chlorine demand *R. Virto, D. Sanz, I. Álvarez, S. Condon & J. Raso*

1289 Antifungal effects of herbal essential oils alone and in combination with ketoconazole against *Trichophyton* spp. *S. Shin & S. Lim*

1297 Isolation of a lactic acid bacterium and yeast consortium from a fermented material of *Ulva* spp. (Chlorophyta) *M. Uchida & M. Murata*

1311 Identification of early microbial colonizers in human dental biofilm *J. Li, E.J. Helmerhorst, C.W. Leone, R.F. Troxler, T. Yaskell, A.D. Haffajee, S.S. Socransky & F.G. Oppenheim*

1319 Analysis of *Acanthamoeba polyphaga* surface carbohydrate exposure by FITC–lectin binding and fluorescence evaluation *E.A.G. Elloway, R.A. Armstrong, R.A. Bird, S.L. Kelly & S.N. Smith*

1326 Letter to the Editor

1328 Erratum

1329 Index